

AirLift®move

WINDSIFTING | PRODUCT PRESENTATION



AirLift[®] move



Impurity removal flexible and fast

New requirements need new innovations. The quality of organic waste must constantly improve, because the further amendment of the waste framework directive additionally increases the demands on the sorting process. Our mobile overbelt extraction windsifter is designed to remove contaminants from material streams with similar specific densities. Thanks to its mobility, it can be optimally integrated into existing plants quickly and efficiently.

About us

Westeria is a German company from Westphalia with over 60 years of experience producing innovative machinery. Since 1956, our product portfolio has largely grown to provide high-quality machines, technical expertise and excellent service to our clients. We are constantly developing new recycling machines and conveyor systems for what is perhaps the biggest challenge of the present day: make the circular economy a valuable and profitable reality all over the world.

Essential building block for optimal purity of your material

Components

The system consists of the following core components:

AirLift

SpeedCon

The central element of this system is a separation module that extracts ultralight materials by windsifting. The high-speed bended conveyor transports the material over a bend with 2,1 m/s to create a brief moment of weightlessness at the separation point.

Benefits

Higher efficiency

Mobile technology

than conventional over-belt extraction systems.

means significantly lower investment than stationary system.

The AirLift move combines optimum separation precision with all the advantages of mobile technology.

DiscSpreader

The spreader optimally distributes the material over the full width of the high-speed bended conveyor.

Carriage

For easy transport of the AirLift move with hook lift and forklift shoes.



High purity


up to 99% thanks to precise adjustability of the air flows.

Max. Throughput

up to 120 m³/h (depending on material)

Examples of applications

Details



Precise separation through diametrical downfall principle
High operational safety due to automatic door opening when material blockages are detected

Technology Center

We test the separation performance of your materials in our Technology Center and give you the certainty that you will achieve outstanding results in your application.



Organic waste

- · Removal of impurities from organical waste or biomass in various grain spectra
- Meets requirements of stricter legislation
- Limit values of foreign substances for organic waste and fermentation products > 1 mm (0.1 mass % in dry matter for plastically deformable plastics)

Scrap

· Deposition of ultralight materials

Plastic


 Pretreatment of mixed plastics (film separation) before NIR Higher throughput and purity in optical sorting

Additional possible applications:

We will advise you for your individual challenge

Optical sensors detect material blockages and remove them by automatically raising the entry and exit gates.





DiscSpreader for optimized distribution of the material



Due to the easy accessibility of all areas, cleaning and maintenance of the machine requires minimal effort.

Technical information

Front view





Operating position


Side view



kW Energy consumption 22 Fan 3 Feeding conveyor SpeedCon 4 DiscSpreader 4,4 Hydraulics (no continuous operation) 1,5 AirLift Gates (no continuous operation) 1,5

External dimensions	L (mm)	W (mm)	H1 (mm)	Weight (kg)
Transport position	6030	2290	2350	6200
Operating position min.	6200	2950	3730	6200
Operating position max.	6200	2950	4530	6200

Feeding and dispensing level	Feeding conveyor H2 (mm)	Over-belt SpeedCon H3 (mm)	Over-belt extraction AirLift
Operating position min.	1919	1279	Flexible over hose Ø=450
Operating position max.	2719	2079	Flexible over hose Ø=450



Operating position





Westeria® GmbH

Raiffeisenstr. 2, 48346 Ostbevern, Germany Tel +49 2532 88-0 | www.westeria.de